


HerasFence 150 - Tarps

Solid Heras Fence Covers

Sunbaba's new HerasFence 150 range is the ideal, cost effective choice for plain heras fence screening for one off events and are available either as individual panels or on $50 \times 1.8 \text{m}$ rolls. The rolls can be also used for cladding temporary structures. HerasFence 150 comes in a range of colours, available either in a solid or air permeable format and with a UV or FR* finish. (* limited colour range)





Specification

Fabric - HDPE tape fabric with LDPE Coating
Weight @ 150gm/m2
Tensile strength - 750 N/5cm
Tear resistance - 200 N
Temperature range -40°C to +80°C
Size - 341 x 176cm (+/- 2%)
Finishing - hemmed with PP rope
with 12mm aluminium eyelets @ every 50cm
Pull out strength eyelets @ 350 N
Packing - Individually packed in PE bag
and boxed in 20s
Standard UV range - all colours
Flame Retardant range - black and white only


head office Sunbaba House Dullingham Newmarket Suffolk CB8 9XA tel: 0044(0) 1638 507684 london office Suite 222 Legacy Business Centre Ruckholt Road Leyton London E10 5NP tel: 0044 (0) 208 988 9100 email info@sunbaba.co.uk web www.sunbaba.co.uk



HerasFence 150 - Net

Air Permeable Heras Fence Covers

Sunbaba's new HerasFence 150 range is the ideal, cost effective choice for plain heras fence screening for one off events and are available either as individual panels or on 50 x 1.8m rolls. The rolls can be also used for cladding temporary structures. HerasFence 150 comes in a range of colours, available either in a solid or air permeable format and with a UV or FR* finish. (* limited colour range)













Black

Blue

White Dark Green

Specification

Fabric - HDPE Knitted mono tape

Weight @ 150gm/m2

Tensile strength - 450/200 N/5cm

Tear resistance - 60 N

Temperature range -40°C to +80°C

Size - 345 x 180cm (+/- 2%)

Shade factor - @55%

Air Permeability - @ 12%

Finishing - reinforced edges and corners

with an eyelet in each corner

Packing - Individually packed in PE bag

and boxed in 10s

Standard UV range - black, blue, dark green, white

NOT "FR" Rated

head office Sunbaba House Dullingham Newmarket Suffolk CB8 9XA tel: 0044(0) 1638 507684 london office Suite 222 Legacy Business Centre Ruckholt Road Leyton London E10 5NP tel: 0044 (0) 208 988 9100 email info@sunbaba.co.uk web www.sunbaba.co.uk



HerasFence 150 - Rolls

Air Permeable Heras Fence Screening

Sunbaba's new HerasFence 150 range is the ideal, cost effective choice for plain heras fence screening for one off events and are available either as individual panels or on $50 \times 1.8 \text{m}$ rolls. The rolls can be also used for cladding temporary structures. HerasFence 150 comes in a range of colours, available either in a solid or air permeable format and with a UV or FR* finish. (* limited colour range)





Specification

Fabric - HDPE Knitted mono tape
Weight @ 150gm/m2
Tensile strength - 450/ 200 N/5cm
Tear resistance - 60 N
Temperature range -40°C to +80°C
Roll size - 50.00 x 1.80m (+/- 2%)
Shade factor - @55%
Air permeability - @ 12%
Packing - Individually packed in PE bag
Standard UV range (not FR)
black, blue, dark green, orange,
yellow, red and white
FR range to EN 13501-1 class B
black, grey and white

head office Sunbaba House Dullingham Newmarket Suffolk CB8 9XA tel: 0044(0) 1638 507684

london office Suite 222 Legacy Business Centre Ruckholt Road Leyton London E10 5NP tel: 0044 (0) 208 988 9100

email info@sunbaba.co.uk web www.sunbaba.co.uk